Patent Information Tools

For Patent Assistance:

Joanne Tobin

Information Services Department
joanne.tobin@library.gatech.edu
404-894-1395



Intellectual Property

- Intellectual property refers to creations of the mind: inventions, literary and artistic works, and symbols, names, images, and designs used in commerce.
- Industrial property, which includes inventions (patents), trademarks, industrial designs
- Literary and artistic works

Patents



What Is A Patent?

- A grant of a property right giving the inventor of “any new and useful process, machine, manufacture, or composition of matter or any new and useful improvements thereof” the right to exclude all others from making, using or selling the invention without his or her permission for the life of the patent.

for General Information Concerning Patents

Washington, DC: Dept of Commerce, US Patent and Trademark Office, 1994.

Who Uses Patents?

- Inventors--to perform patentability searches & protect their ideas

Who Uses Patents

- Companies--to insure they do not infringe on existing patents as they launch new product lines
- Investors--to estimate the intellectual assets of a venture

Who Uses Patents

- Students and industry researchers--to see what others have done to solve a particular design need.
- Historical and genealogical researchers--to learn of the development of a technology or an historical figure’s accomplishments.

Patent Criteria

- Timeliness--the invention must be new
- Uniqueness
- Detail--the patent must reveal enough about how the invention works so that someone skilled in the field could reproduce the invention
- *Caveat*--This requirement does not mean patent documents are easy to read, however.

Types of Patents

- Utility Patents
- Design Patents
- Plant Patents

Examples of Patents: Utility

- Process
- Machine
- Manufacture
- Composition of Matter
- Improvements on any of the above



Process Statutory Class

- Chemical Reactions
- Business Methods - Only computer programs that affect hardware or process
- Manual Process - Must have a useful purpose

Pat. No. 6,393,436

Method for commercializing goods and services over a global digital network



Machine Statutory Class

- Emphasis is on parts or hardware
- Conventional machine patents on automobiles, boats, photocopiers.
- Software Machines - can be claimed as a process or a machine statutory class



Wright Brothers Flying Machine

Patent # 821,393 (1906)

DIGITAL CLOCK

PAT. NO. 4,60972

MACHINE



Manufacture Statutory Class

- Things made by human hands or machines
- examples - erasers, books, chairs, floppy disks....

Manufacture

Hammer



Pat. No. 6,450,616

Composition of Matter Statutory Class

- Chemical compositions, conglomerates, aggregates, supplied in bulk in solid, liquid or gaseous form
- examples - all chemicals, soap, drugs, road-building compositions

Electronic Orange Book

Approved Drug Products
with
Therapeutic Equivalence Evaluations

Current through June 2008**

** In order to provide timely consumer information on generic drugs, the Electronic Orange Book is updated daily as new generic approvals occur. Refer to FAQ for additional information.

Publications

FAQ

Search by Active Ingredient Search by Applicant Holder

Search by Proprietary Name Search by Application Number

Search by Patent

The products in this list have been approved under section 505 of the Federal Food, Drug, and Cosmetic Act.

Drug questions email: druginfo@fda.hhs.gov

U.S. Department of Health and Human Services
Food and Drug Administration
Center for Drug Evaluation and Research
Office of Pharmaceutical Science
Office of Generic Drugs

www.fda.gov/cder/ob

Proprietary Name Search Results from "OB_Rx" table for query on "Tamiflu."

Appl No	TE Code	RLD	Active Ingredient	Dosage Form; Route	Strength	Proprietary Name	Applicant
021087		No	OSELTAMIVIR PHOSPHATE	CAPSULE; ORAL	EQ 30MG BASE	TAMIFLU	ROCHE
021087		No	OSELTAMIVIR PHOSPHATE	CAPSULE; ORAL	EQ 45MG BASE	TAMIFLU	ROCHE
021087		Yes	OSELTAMIVIR PHOSPHATE	CAPSULE; ORAL	EQ 75MG BASE	TAMIFLU	ROCHE
021246		Yes	OSELTAMIVIR PHOSPHATE	FOR SUSPENSION; ORAL	EQ 12MG BASE/ML	TAMIFLU	ROCHE

Return to Electronic Orange Book Home Page

FDA/Center for Drug Evaluation and Research
Office of Generic Drugs
Division of Labeling and Program Support
Update Frequency:
Orange Book Data - **Monthly**
Generic Drug Product Information & Patent Information - **Daily**
Orange Book Data Updated Through June, 2008
Patent and Generic Drug Product Data Last Updated: July 23, 2008

Result of Tamiflu Search

Ingredient:	OSELTAMIVIR PHOSPHATE
ge Form;Route:	CAPSULE; ORAL
etary Name:	TAMIFLU
ant:	ROCHE
gth:	EQ 75MG BASE
cation Number:	021087
ct Number:	001
val Date:	Oct 27, 1999
ence Listed Drug	Yes
TC/DISCN:	RX
ode:	
t and Exclusivity Info for this product:	View

Ingredient:	OSELTAMIVIR PHOSPHATE
ge Form;Route:	CAPSULE; ORAL
etary Name:	TAMIFLU
ant:	ROCHE
gth:	EQ 45MG BASE
cation Number:	021087
ct Number:	002
val Date:	Jul 2, 2007
ence Listed Drug	No
TC/DISCN:	RX

CARBOCYCLIC COMPOUNDS

BACKGROUND OF THE INVENTION

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority from U.S. Provisional Application Ser. No. 60/009,306, filed Dec. 29, 1995.

FIELD OF THE INVENTION

Neuraminidase (also known as sialidase, acylneuraminyl hydrolase, and EC 3.2.1.18) is an enzyme common among animals and a number of microorganisms. It is a glycohydrolase that cleaves terminal alpha-ketosidically linked sialic acids from glycoproteins, glycolipids and oligiosaccharides. Many of the microorganisms containing neuraminidase are pathogenic to man and other animals including fowl, horses, swine and seals. These pathogenic organisms include influenza virus.

Neuraminidase has been implicated in the pathogenicity of influenza virus. It is thought to help the elution of newly synthesized virons from infected cells and assist in the movement of the virus (through its hydrolase activity) through the mucus of the respiratory tract.

Inhibition of glycolytic enzymes such as neuraminidase is an object of the invention.

An additional object of the invention is to provide neuraminidase inhibitors that exhibit lengthy biological half-lives compared to known compounds.

Another object is to provide improved and less costly methods for synthesis of neuraminidase inhibitors.

A further object is to provide such inhibitors having elevated potency, substantial oral bioavailability (>15%) and clinically acceptable or absent toxicity compared to known compounds.

An additional object is to provide compositions useful in preparing polymers, surfactants, immunogens and for use in other industrial processes and articles as will be readily

(I)



or



wherein

E_1 is $—(CR_1R_1)_{m1}W_1$;

G_1 is N_3, —CN, —OH, $—OR_{6a}$, $—NO_2$, or $—(CR_1R_1)_{m1}W_2$;

T_1 is $—NR_1W_3$, a heterocycle, or is taken together with U_1 or G_1 to form a group having the structure



;

U_1 is H or $—X_1W_6$;

J_1 is independently H, F or Cl;

R_1 is independently H or alkyl of 1 to 12 carbon atoms;

R_2 is independently R_3 or R_4 wherein each R_4 is independently substituted with 0 to 3 R_3 groups;

R_3 is independently F, Cl, Br, I, —CN, N_3, $—NO_2$, $—OR_{6a}$, $—OR_1$, $—N(R_1)_2$, $—N(R_1)(R_{6b})$, $—N(R_{6b})_2$, $—SR_1$, $—SR_{6a}$, $—SOR_1$, $—S(O)_2R_1$, $—S(O)R_{6a}$, $—S(O)_2R_{6a}$, $—C(O)OR_1$, $—C(O)R_{6c}$, $—C(O)OR_{6a}$, $—OC(O)R_1$, $—NR_1C(O)R_1$, $—N(R_{6b})C(O)R_1$, $—C(O)N(R_1)_2$, $—C(O)N(R_{6b})(R_1)$, $—C(O)N(R_{6b})_2$, $—C(NR_1)(N(R_1)_2)$, $—C(N(R_{6b}))(N(R_{6b})_2)$, $—N(R_1)C(N(R_1))(N(R_1)_2)$, $—N(R_1)C(N(R_1))(N(R_1)(R_{6b}))$,

Improvements on Any of the Other Statutory Classes

- Discovery of a new use for something that is very old.

- example - you discover that a machine that you use to clean venetian blinds can also be used to plant seeds

PATENT TERMS

- Utility and plant patents issued since June 8, 1995 expire 20 years from the date of application with the payment of maintenance fees.
- Utility and plant patents issued prior to June 8, 1995 expire 17 years from the date of issue with the payment of maintenance fees.
- Design patent expire 14 years from the date of issue.
- Patents are not renewable. Under special circumstances, a patent term may be extended.

INVENTIONS THAT WILL NOT BE GRANTED A PATENT

- Unsafe drugs
- Non-operable inventions (the perpetual motion machine)
- Nuclear Weapons
- Theoretical phenomena (superconductivity)

MORE EXAMPLES OF UTILITY PATENTS



T A. EDISON.
Phonograph or Speaking Machine.
No. 200,521. Patented Feb. 19, 1878.

Thomas Edison

Phonograph

Patent # 200,521

1878





Henry Ford

Motor Carriage

Automobile Chassis

Patent # 686,046
1901

Samuel L. Clemens

Suspenders

Patent # 121,992

1871

(38.) SAMUEL L. CLEMENS.

Improvement in Adjustable and Detachable Straps for Garments.

~~No. 119,322.~~ ~~Patented Sep. 26, 1871.~~

No. 121,992. Patented Dec. 19, 1871.





Abraham Lincoln. Manner of Bouying Vessels.

Patent #6,469 1849

WILL YOUR INVENTION SELL?

- A patent does not guarantee commercial success.
- Consider factors affecting marketability such as cost, novelty, ease of use…
- Build and test a working model

Fire Escape

1909 #912,152

Pat. No. 4,608,967

Pat on the Back Apparatus



Ralph R. Piro

1986

Fire-Escape

B. B. OPPENHEIMER.
Fire-Escape.

No. 221,855. Patented Nov. 18, 1879.



Electric Extraction of Poisons

JB Campbell

July 5, 1898

Pat. No. 606,887



Examples of Patents: Plants

- Asexually reproduced distinct and new variety of plant




PP12,911 Melody Dixie

Examples of Patents: Designs

- Patent protection for only the appearance and not structural or utilitarian features
- Subject matter may relate to the configuration or shape of an article, to the surface ornamentation applied to an article, or both

Auguste Bartholdi

Statue of Liberty

Patent # D11,023

1879

LIBERTY ENLIGHTENING THE WORLD.

Congressional Medal of Honor

Patent # D37,236

1904

DESIGN.

No. 37,236. PATENTED NOV. 22, 1904.

G. L. GILLESPIE.

BADGE.

APPLICATION FILED MAR. 9, 1904.



Design Patent D82,802

1930

W. E. Disney

Toy or Similar Article

Airplane Hairdryer

Pat. No D343,921



Frank Dimino

Feb. 1, 1994

Hair Dryer

Design Patent #D302,868



Where to Access Patent Info

- www.uspto.gov
- CASSIS II (USPTO CD ROM product)
- Commercial databases listed on GTEL Website.
- Pub West – database supplied by US

Key Sections of a Patent

- Title
- Inventor
- Claims
- Assignee (Not all patents are assigned)
- Summary
- Current U.S. Class
- Cited References
- Drawings

Cited References

- US patents
- Foreign patents
- Journal articles
- Technical Reports

Methods to Research Patents

- Keyword searching (will not retrieve all relevant patents)
- Class and subclass searching - best way to search.

- About USPTO
- Patents
- Trademarks
- Copyrights
- Policy & Law
- Products & Services
- Strategic Planning
- How To
- Inventor Support
- Emergency Notices
- Contact Us

TOP NEWS

Commerce Under Secretary and Orlando Congressman Highlight Orlando's Innovation and Employment

Focus on importance of intellectual property protection to Orlando's economy

Under Secretary of Commerce for Intellectual Property and Director of the U.S. Patent and Trademark Office (USPTO) Jon Dudas, joined by U.S. Representative Tom Feeney (R-FL), on Friday told reporters on a conference call that protecting intellectual property against piracy and counterfeiting is a key part of economic growth, particularly in Orlando. Dudas and Feeney emphasized that intellectual property theft costs U.S. businesses approximately $250 billion annually and hundreds of thousands of jobs.

"Orlando is a leader in innovation and high-technology. Today's job numbers show that the U.S. has continued to add new jobs. Innovation in Florida is leading the way," noted Under Secretary Dudas.

>>Read full story.

Bush Administration Releases Report On Intellectual Property Enforcement And Protection

On September 28 the Bush Administration released the 2006 Report to the President and Congress on Coordination of Intellectual Property Enforcement and Protection. The report sets forth the actions and initiatives that the U.S. government has taken over the past year to combat the rising tide of global counterfeiting and piracy, and notes the importance of these efforts because of the critical role intellectual property (IP) plays in the country's economic strength and the health and safety of consumers.

>> Read full story (exits www.uspto.gov)

United States Patent and Trademark Office

Home | Site Index | Search | FAQ | Glossary | Guides | Contacts | eBusiness | eBiz alerts | News | Help

Guides > How to Search ... Patents, Trademarks and more

The USPTO website can be word-searched using the FirstGov search engine. Use the Search button in the toolbar above to conduct a text **search of informational pages on the USPT** your search to some selected portions of the site by choosing a folder of related webpages from the dropdown menu on the site search page.

Patents, **Trademarks** and information about large groupings of **very similar items** are **not contained on web pages** but are accessed through **online database systems** that are linked **cannot be searched using FirstGov**.

In order to search each database you must connect and follow its specific directions. Below are connections to our search and status systems as well as links to material on our s crafting and conducting search queries. We have also included links to some popularly-requested non-USPTO databases.

SEARCH patents now

TRACK patent status
& view Image File Wrapper (Patent Documents)
Can't view PATENT IMAGES?

SEARCH trademarks now

TRACK trademark status
VIEW Trademark Documents
Can't view TRADEMARK DOCUMENTS?

SEARCHING PATENTS

Search Patent Assignments *(changes of ownership)*

How to search for patents at a PTDL

Use of TIFF viewer for patent images

See Notes below for more hints about using and viewing the patent database

Patent kind codes (numbering formats)

Access to and status of pending published applications

Available patent numbers *for database*

Authority file - *list of Patent Numbers in the online Image database*
Filing years and application serial numbers - *current series is **11** (since DEC2004)*

Issue years and patent numbers

Sequence Listings (biotech) - *Publication Site for Issued and Published Sequences (PSIPS)*

SEARCHING TRADEMARKS

Search Trademark Assignments *(changes of ownership)*

How to search for trademarks at a PTDL

Design Search Code Manual

Trademark Acceptable Identification of Goods and Services Manual

Trademarks Official Gazette
(most recent five issues)

U.S. Trademark Law - Rules of Practice & Federal Statutes (37 C.F.R.)

See Trademarks for more information

MORE SEARCH RESOURCES

How to look up Laws and Regulations
Federal legislation

United States Patent and Trademark Office

The 7-Step Strategy

1. *Index to the U.S. Patent Classification* (Paper, *Cassis* or USPTO Web)

   Begin with this alphabetical subject index to the *Manual of Classification*. Look for comm terms describing the invention and its function, effect, end-product, structure, and use. No class and subclass numbers.

2. *Manual of Classification* (Paper, *Cassis* or USPTO Web)

   Locate class and subclass numbers in the Manual. Note where the terms fall within the U Patent Classification System. Scan the entire class schedule, paying attention to the dot Revise search strategy as needed.

3. *Classification Definitions* (Microfiche, *Cassis* or USPTO Web)

   Read the definitions to establish the scope of class(es) and subclass(es) relevant to the s The definitions include important search notes and suggestions for further searching.

4. *Browse Patent Titles and Abstracts* (*Cassis*, WEST - Web-based Examiner Search Tool USPTO Web)

   Check if you are on the right path; retrieve and browse through titles of patents and publis applications in the given class and subclass. Or redirect the search: retrieve lists of paten published applications containing applicable keywords; note their class and subclass num and go back to Step 2. Remember that **Patents BIB** includes bibliographic information for patents from 1969 to present and published patent applications from 2001 to the present. includes the full-text of patents from 1971 to the present. USPTO databases on the Web i the full-text of patents from 1976 and images (searchable only by class or number) from 1 the current week, plus published applications from 2001 to present.

5. *Retrieve Subclass Listing* (*Cassis*, WEST or USPTO Web)

   Once you have identified the relevant classes and subclasses, obtain a list of all patent nu granted from 1790 to the present and all published applications from 2001 to the present f class and subclass to be searched.

6. *Official Gazette - Patent Section* (Paper, Microform or USPTO Web)

   Go to the *Gazette* and look for exemplary claim(s) and a representative drawing for all pat the list(s) to eliminate patents unrelated to the invention. For published applications, view complete document **on-line**.

7. *Complete Patent Document* (Microfilm, Paper, *Cassis* or USPTO Web)

Select a letter and format to go to the index

Index to USPC

1. Select what you want...
   - (•) Index in HTML
   - ( ) Index in PDF
2. Select letter ...

A B C D E F G H I J K L M N O P Q R S T U V
W X Y Z

Searching for spacecraft

linked to on this page may require a plug-in for Adobe Acrobat Reader.

KEY: =online business system =fees =forms =help =laws/regulations =definition (glossary)

enter is available to help you on patent matters. Send questions about USPTO programs and services to the USPTO Contact Center (UCC). You can suggest USPTO webpages or material you would like featur
v. While we cannot promise to accommodate all requests, your suggestions will be considered and may lead to other improvements on the website.



Class 244

Subclass
158.1+

Index to Manual of Patent Classification

Class 244 AERONAUTICS AND ASTRONAUTICS

Click here for a printable version of this file

Turn Outline OFF

Select Largest Indent Level to be Displayed Select Expansion Level: Submit

1R	MISCELLANEOUS
1N	· Noise abatement
1A	· Lightning arresters and static eliminators
1TD	· Trailing devices
2	COMPOSITE AIRCRAFT
3	· Trains
3.1	MISSILE STABILIZATION OR TRAJECTORY CONTROL
3.11	· Remote control
3.12	·· Trailing wire
3.13	·· Beam rider
3.14	·· Radio wave
3.15	· Automatic guidance
3.16	·· Optical (includes infrared)
3.17	··· Optical correlation
3.18	··· Celestial navigation
3.19	·· Radio wave
3.2	·· Inertial
3.21	·· Attitude control mechanisms
3.22	··· Fluid reaction type
3.23	· Stabilized by rotation
3.24	· Externally mounted stabilizing appendage (e.g., fin)
3.25	·· Removable
3.26	·· Sliding
3.27	·· Collapsible
3.28	··· Longitudinally rotating
3.29	··· Radially rotating
3.3	·· Extending beyond rear of missile
158.1	SPACECRAFT
158.2	· Tethered
158.3	· Inflated
158.4	· Spacecraft formation, orbit, or interplanetary path
158.5	·· Orbit insertion

Manual of Patent Classification

Hierarchal SYSTEM

Class 244 AERONAUTICS AND ASTRONAUTICS

Click here for a printable version of this file

1R	**MISCELLANEOUS**
1N	· Noise abatement
1A	· Lightning arresters and static eliminators
1TD	· Trailing devices
2	**COMPOSITE AIRCRAFT**
3	· Trains
3.1	**MISSILE STABILIZATION OR TRAJECTORY CONTROL**
3.11	· Remote control
3.12	·· Trailing wire
3.13	·· Beam rider
3.14	·· Radio wave
3.15	· Automatic guidance
3.16	·· Optical (includes infrared)
3.17	··· Optical correlation
3.18	··· Celestial navigation
3.19	·· Radio wave
3.2	·· Inertial
3.21	·· Attitude control mechanisms
3.22	··· Fluid reaction type
3.23	· Stabilized by rotation
3.24	· Externally mounted stabilizing appendage (e.g., fin)
3.25	·· Removable
3.26	·· Sliding
3.27	·· Collapsible
3.28	··· Longitudinally rotating
3.29	··· Radially rotating
3.3	·· Extending beyond rear of missile
158.1	**SPACECRAFT**
158.2	· Tethered
158.3	· Inflated
158.4	· Spacecraft formation, orbit, or interplanetary path
158.5	·· Orbit insertion
158.6	·· Orbital control
158.7	··· Aerobraking
158.8	··· Automatic

Manual of Patent Classification

Hierarchal

SYSTEM

AERONAUTICS AND ASTRONAUTICS

Class 244

SECTION I - CLASS DEFINITION

This class contains and is limited to:

1. Machines or structures adapted to be completely or partially sustained by the air (e.g., winged aircraft, helicopters, parachutes, kites, balloons, etc.),
2. Machines or structures adapted to be propelled and guided or stabilized through the air (e.g.,projectiles with fins, guided missiles

SECTION II - LINES WITH OTHER CLASSES AND WITHIN THIS CLASS

Class 244

This class excludes toy or model aeronautical devices unless the invention is such that it also applies logically to full sized devices for actual use in carrying persons or cargo. For toy or model airplanes, etc., see Class 446, Amusement Devices: Toys, subclass 56.

This class excludes motor vehicles for travel on land or water, and which vehicles are supported above said land or water by a relatively thin cushion of air between the

SECTION III - REFERENCES TO OTHER CLASSES

SEE OR SEARCH CLASS: Class 244

89, Ordnance, subclasses **1.51**+ for bomb flare and signal dropping and subclass 37.16 for gun mounts on aircraft.

102, Ammunition and Explosives, subclasses **337**+ for parachute flares, subclass 387 for parachute-carried drop bombs, subclass 405 for aerial mines, and subclasses 504+ for parachute-containing projectiles.

104, Railways, subclass **23.1** for airplanes attached to or running on tracks.

123, Internal-Combustion Engines, subclasses **41.56**+ for devices for cooling internal combustion engines by means of air including cowling devices for the

158.1 **SPACECRAFT:** Class 244 Subclass Def.

This subclass is indented under **the class definition**. Subject matter comprising a machine or structure especially designed for travel in the upper reaches of or beyond the atmosphere of a celestial body (e.g., Earth).

(1) Note. By "upper reaches of the atmosphere" (2) is meant the height at or beyond which the atmosphere (if any) is incapable of providing (1) lift or sustentation to a winged or other aircraft or (2) sufficient oxygen for operating the propulsion system of an aircraft.

(2) Note. A machine or structure (manned or unmanned) which is (1) disclosed as a body (i.e., satellite) which is to be placed in orbit about a celes

CCL/"244/158.6": 31 patents.
*Hits **1** through **31** out of **31***

Patents back to 1790 for 244/156.8 (orbital control)

Titles included back to 1976

	PAT. NO.	Title
1	6,892,987	Predicting, bounding and mitigating satellite attitude disturbances arising from infrared earth sensors for satellites in inclined, elliptical orbits
2	6,845,950	System for high efficiency spacecraft orbit transfer
3	6,824,107	Artificial satellite with an orbit having a long staying time in a zenith direction, an orbit control method and a communication system therewith
4	6,725,012	Method for deploying an orbiting sparse array antenna
5	6,672,542	Method and system for controlling the eccentricity of a near-circular orbit

(12) **United States Patent**
Aguero et al.

(10) **Patent No.: US 6,459,206 B1**
(45) **Date of Patent: Oct. 1, 2002**

(54) **SYSTEM AND METHOD FOR ADJUSTING THE ORBIT OF AN ORBITING SPACE OBJECT USING AN ELECTRODYNAMIC TETHER AND MICRO-FABRICATED FIELD EMISSION DEVICE**

(75) Inventors: **Victor Manuel Aguero**, Menlo Park, CA (US); **Richard Cosmo Adamo**, Palo Alto, CA (US)

(73) Assignee: **SRI International**, Menlo Park, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 23 days.

(21) Appl. No.: **09/707,725**

(22) Filed: **Nov. 7, 2000**

Related U.S. Application Data

(60) Provisional application No. 60/208,346, filed on May 31, 2000.

(51) **Int. Cl.**[7] **H01J 7/24**

(52) **U.S. Cl.** ..... **315/111.81**; 313/309; 313/310; 244/158 R

(58) **Field of Search** ..... 315/500, 111.81, 315/111.21; 313/309, 310, 351; 244/158 R, 164; 340/333

Title

Filed Date

Class

Key Parts of A Patent Front Page

Patent No. 6,459,206 Continued

(57) **ABSTRACT**

A system and method for altering an orbit of a space object are described. An electrodynamic tether is deployed from an orbiting space object such that the electrodynamic tether is capable of producing electrical charge. A micro-fabricated charge-emitting device is placed at one end of the electro-dynamic tether and has at least two terminals. One of the terminals is electrically connected to the tether to receive the electrical charge produced by the tether. A voltage source applies a voltage across the two terminals of the charge-emitting device to induce the charge-emitting device to emit the charge received from the tether. Depending in part upon the end at which the charge emission device is placed and upon the polarity of the charge emitted, emission of the charge raises or lowers the orbit of the space object.

24 Claims, 16 Drawing Sheets

References Cited

U.S. PATENT DOCUMENTS

3,755,704	A	8/1973	Spindt et al.	313/309
3,789,471	A	2/1974	Spindt et al.	29/25.17
4,097,010	A	6/1978	Colombo et al.	244/158
4,824,051	A	4/1989	Engelking	244/158 R
4,923,151	A	5/1990	Roberts et al.	244/158
4,926,056	A	5/1990	Spindt	250/423
5,132,597	A	7/1992	Goebel et al.	315/344
5,321,336	A	6/1994	Cirri	315/14
5,676,873	A	10/1997	Takase et al.	219/761
5,847,407	A	12/1998	Lucero et al.	257/10
5,977,696	A	11/1999	Okamoto	313/309
6,064,156	A	5/2000	Patterson et al.	315/111.91

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

WO	WO 98/48089	10/1998	D02G/3/00

OTHER PUBLICATIONS

A. Pedersen et al., "Methods For Keeping a Conductive Spacecraft Near The Plasma Potential", Proceedings of the 17th ESLAB Symposium on Spacecraft/Plasma Interactions and their Influence on Field and Particle Measurements, Noordijk, The Netherlands, Sep. 13–16, 1983. (ESA SP–198, publ. Dec. 1983).

P. M. Philips et al., "Development of Spindt Cathodes for High Frequency Devices and Flat Panel Display Applications", Part of the 4th International Conference on Millimeter and Submillimeter Waves and Applications, San Diego, Jul. 1998, SPIE vol. 3465.

(List continued on next page.)

Patent No. 6,459,206

Journal articles

Conferences

CLAIMS

What is claimed is:

1. A system for altering an orbit of a space object, comprising:

an electrodynamic tether deployed from an orbiting space object and electrically connected so as to be capable of producing electrical charge;

a charge-emitting device located at one end of the electrodynamic tether and-having at least two terminals, one of the terminals being electrically connected to the tether to receive the electrical charge produced by the tether;

a first voltage source applying a voltage across the two terminals of the charge-emitting device to induce the charge-emitting device to emit the charge received from the tether so as to alter the orbit of the space object; and

a second voltage source applying a voltage between one of the two terminals and the tether to connect that terminal to the tether and to provide a path through the charge-emitting device taken by the electrical charge when drawn from the tether and emitted by the emitting terminal.

2. The system of claim **1** wherein the two terminals of the charge-emitting device area a gate and an emitter, and wherein the gate is connected to the tether.

BACKGROUND

Systems for adjusting the orbit of spacecraft have required the launching of large amounts of propellants, such as gas, from the spacecraft into the space plasma environment to boost or reduce the orbit. Disadvantages with such techniques include the weight and complexities associated with storing the propellants on the spacecraft, with controlling the flow of the propellants, and with operating within the time constraints imposed by a finite propellant supply. Also, to maximize system effectiveness and prevent the unnecessary use of propellants, a separate supplementary system is required to monitor the use and flow of propellants.

A system that can reduce the amount of propellants is one employing an electrodynamic tether. An electrodynamic tether is, in general, a long conducting wire that is deployed from the orbiting spacecraft. The motion of the tether across a magnetic field induces a voltage along the length of the

SUMMARY OF THE INVENTION

One objective of the invention is to provide a charge emitter that is suitable for use in space applications, i.e., a charge emitter that is lightweight, small in size, and reliable and robust in the space plasma environment. Another objective is to provide a charge emitter capable of emitting low levels of charge, positive or negative, for controlling the charging of a space object. Another objective is to provide a charge emitter capable of emitting large levels of charge, positive or negative, for use in adjusting the orbit of space objects. Yet another objective is that the charge emitter be capable of emitting charge without requiring high voltages. Still yet another objective is that the charge emitter be

Patent #
6,459,206 B1



Fig.3

FIG. **1** is a diagram of an embodiment of a system for measuring and controlling the electrical potential difference between an object and the ambient space plasma environment in accordance with the principles of the invention, the system including a charge-emitting device having a gate and an array of emitter tips;

FIG. **2** is a partial cross-section of an embodiment of a field emission device, which is a particular embodiment of the charge-emitting device of FIG. **1**;

FIG. **3** is a partial cross-section of another embodiment of the field emission device;

FIG. **4** is a top view of an embodiment of the field emission device;

FIG. **5** is a plot of modeled I-V characteristics of one embodiment of the field emission device;

What The Examiners Search

Search Templates Defined

Search templates define the field of search, search tools, and search methodologies which should be considered each time a patent application is examined in that classification area. The templates describe search tools for U.S. and foreign patents and non-patent literature. Additionally, general Internet search tools used by patent examiners are listed.

The search templates are based upon input from patent examiners and other searchers at the USPTO and capture their institutional knowledge of the most relevant prior art search sources for determining the patentability of subject matter in the area of technology. The listed areas represent where (what resources) and how (methodology) most of the prior art considered in the examination process is found during the search process.

AERONAUTICS AND ASTRONAUTICS

Classification 244/all - subclasses >> view this class definition

Patents Search Template for Class 244

U. S. PATENT RESOURCES.

FOREIGN PATENT RESOURCES

NON-PATENT LITERATURE RESOURCES

CSA Technology Research Database (TRD)
Dialog Coverage: 1963 - present, Full Text: - N/A
Dialog Global Reporter

Gale Group Trade & Industry DatabaseTM
IEEE Xplore
Inspec (The Database for Physics, Electronics and Computing)
McGraw-Hill Companies Publications Online
NTIS: National Technical Information Service
ProQuest Direct
SciSearch: A Cited Reference Science Database

INTERNET SEARCH TOOLS

An Internet search should be considered when a search of the resources listed above fails to locate relevant prior art. A preliminary Internet search may be performed to obtain an overview of the technology, and to identify additional search terms and related product information.

Google TM
Google Coverage: - N/A, Full Text: - N/A
Internet search engine.

This search engine may provide information on broad topics, specific companies, devices, individuals, materials, products and properties.

Design Class

1 **SPECIAL PURPOSE VEHICLE**
2 .Combined, e.g., land-sea-air-type vehicle
3 ..Amphibious
4 ..Land and air
5 .Air cushion
6 .Sleigh or sled
7 ..Self-propelled (e.g., snowmobile
8 ..Standing occupant only
9 ..With occupant support elevated from runner
10 ...Straddle or flat riding surface type
11 ...Toboggan or skimming type
12 .Armored
13 .Firefighting
14 .Service vehicle (1)
15 ..Dumping or trash handling
16 .Golf cart (2)
16.1 .Drone, guided missile, or rocket
17 **VEHICLE DRAWN BY ANIMAL**
18 .Body with cover
19 .Cart or sulky
20 .Element or attachment
307 .Straddle or motorized surfboard type
308 .Submersible
309 .Hydrofoil
310 .Opposed hull skids forming longitudinal channel
311 ..Laterally stepped
312 ..Channel divided by keel or keel rib
313 .Laterally stepped bottom
314 .Longitudinal planing steps or strakes on bottom
315 .With cabin (4)
316 .Raft, float, or platform
317 .Element or attachment (5)
318 ..Deck or cabin unit (6)
319 **AIRCRAFT, SPACECRAFT, OR FUSELAGE**
320 .Space satellite or habitat (7)
321 .Flexible or uniform-thickness material forming lift surface, e.g., parachute, paraglider, kite type, etc.
322 .Body supported
323 .Lighter-than-air, i.e., lift provided by hot air or gas
324 .Amphibious

Refine Search CCL/D12/320

Skycrane Landing System

	PAT. NO.	Title
1	D505,105	Skycrane landing system
2	D430,530	Personal air transport
3	D418,475	Personal air transport
4	D408,780	Vehicle for use in outer space as a space probe, planetary rover or space ship
5	D401,209	Vehicle for use in outer space as a space probe, planetary rover or spaceship
6	D396,685	Single stage to orbit spacecraft
7	D386,255	Air purifier with illuminating outer ring
8	D362,234	Single stage to orbit vehicle
9	5,322,248	Methods and arrangements tailoring aerodynamic forces affor
10	5,242,135	Space transfer vehicle and integrated guidance launch system
11	D332,249	Simulator
12	D332,248	Simulator
13	5,141,181	Launch vehicle with interstage propellant manifolding

(12) **United States Design Patent** (10) **Patent No.: US D505,105 S**
Rivellini et al. (45) **Date of Patent: ** May 17, 2005**

(54) **SKYCRANE LANDING SYSTEM**

(75) Inventors: **Tommaso P. Rivellini**, Montrose, CA (US); **Dara Sabahi**, Los Angeles, CA (US); **Jeffrey W. Umland**, Pasadena, CA (US); **Adam D. Steltzner**, Altadena, CA (US); **Alejandro M. San Martin**, San Gabriel, CA (US); **William Layman**, Oxnard, CA (US); **Edward C. Wong**, Arcadia, CA (US); **Allen Chen**, Pasadena, CA (US); **Robert M. Manning**, Pasadena, CA (US); **Eric M. Slimko**, Pasadena, CA (US)

(73) Assignee: **California Institute of Technology**, Pasadena, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/195,691**

(22) Filed: **Dec. 16, 2003**

(51) **LOC (7) Cl.** **12-99**
(52) **U.S. Cl.** **D12/320**
(58) **Field of Search** ..... D12/319–345; 244/158 R, 159, 160, 161, 162

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,697,767 A * 10/1987 Witten et al. D12/320
5,372,340 A * 12/1994 Ihara et al. 244/159

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Christie, Parker & Hale, LLP

(57) **CLAIM**

The ornamental design for skycrane landing system, as shown and described.

DESCRIPTION

FIG. **1** is an isometric view of the skycrane landing system;
FIG. **2** is a top plan view thereof;
FIG. **3** is a front view thereof;
FIG. **4** is a right side view thereof;
FIG. **5** is a left side view thereof; and,
FIG. **6** is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets



Skycrane Landing System

Issued Patents (PatFT) (full-text since 1976, full-page images since 1790)	Published Applications (AppFT) (published since 15 March 2001)
Quick Search Advanced Search Patent Number Search Operational Notices and Status Database Contents Help	Quick Search Advanced Search Publication Number Search Operational Notices and Status Help

Information Applicable to Both Databases

Important Notices -- *Please read!*

How to Access and View Full-Page Images

Problems Using the Databases?

Report Data Content Problems

Related USPTO Services

Tools to Help in Searching by Patent Classification

Downloadable Published Sequence Listings

Published Applications (AppFT)
(published since 15 March 2001)

- Quick Search
- Advanced Search
- Publication Number Search

- View Publication Full-Page Images

  How to View Published Application Images

US PATENT & TRADEMARK OFFICE

PATENT APPLICATION FULL TEXT AND IMAGE DATABASE

Help | Home | Boolean | Manual | Number | PTDLs

View Shopping Cart

Data current through October 26, 2006.

Query [Help]

Term 1: 244/158.6 **in Field 1:** Current US Classification

AND

Term 2: **in Field 2:** All Fields

Select years [Help] 2001-present

Search Reset

Pre Grant Patents For Class 244 subclass 158.6

	PUB. APP. NO.	Title
1	20030222179	METHOD AND SYSTEM FOR CONTROLLING THE ECCENTRICITY OF A NEAR-CIRCULAR ORBIT
2	20030098810	System for determining precise orbit of satellite and method thereof
3	20020038840	Satellite, satellite control method and satellite communication system
4	20020036250	Method for maintaining the position of geostationary satellites

Results of Search in All Years db for:
IN/"Kamen, Dean": 76 patents.
*Hits **1** through **50** out of **76***

Inventor Dean Kamen

Final 26 Hits

Jump To

Refine Search IN/"Kamen, Dean"

	PAT. NO.		Title
1	6,311,794	T	System and method for stair climbing in a cluster-wheel vehicle
2	6,302,230	T	Personal mobility vehicles and methods
3	6,247,310	T	System and method for control of fuel and air delivery in a burner of a thermal-cycle engine
4	6,234,997	T	System and method for mixing and delivering intravenous drugs
5	6,223,104	T	Fault tolerant architecture for a personal vehicle
6	6,210,361	T	System for delivering intravenous drugs
7	6,168,609	T	Catamenial collector and methods of use
8	6,155,824	T	Apparatus and method for cleaning teeth
9	6,092,249	T	Constant pressure seating system
10	6,086,008	T	Apparatus and method for permitting introduction and withdrawal of a catheter
11	6,077,246	T	Medical irrigation pump and system
12	6,070,761	T	Vial loading method and apparatus for intelligent admixture and delivery of intravenous drugs
13	6,062,600	T	Anti-tipping mechanism

Searching by Inventor

- Can search by inventor name back to 1976
- Pre 1976 – need to search by class and subclass



Can Search Any Field

Results of Search in 1976 to present db for:
AN/"Lockheed Martin Corp": 100 patents.
*Hits **1** through **50** out of **100***

Next 50 Hits

Lockheed Martin Patents

Jump To

Refine Search AN/"Lockheed Martin Corp"

	PAT. NO.	Title
1	6,963,677	Optical memory and logic using cross-switches
2	6,961,431	Analog privacy scrambler and scrambling method
3	6,847,741	Optically induced total internal reflection X-junction waveguide optical switch, network and optical switching method
4	6,810,048	Virtual coherent signal controlled oscillator
5	6,714,663	Method and software-implemented apparatus for ground plane estimation in multi-dimensional data
6	6,697,996	Multi-dimensional packet recovery system and method
7	6,690,738	Trellis coded modulation system employing a flexible trellis coded modulation decoder
8	6,650,702	Blind initialization of decision feedback equalizer using an antenna array
9	6,636,127	Broadband turnstile waveguide junction
10	6,628,231	Location of radio frequency emitting targets
11	6,609,467	Elastomer mounted pallet
12	6,466,158	Identifying closely clustered moving targets
13	6,460,801	Precision guidance system for aircraft launched bombs


PATENT APPLICATION FULL TEXT AND IMAGE DATABAS
Help
Home
Boolean
Manual
Number
PTDLs
View Shopping Cart
Data current through October 19, 2006.
Query [Help]
Term 1: 244/158.6
in Field 1: Current US Classification
AND
Term 2:
in Field 2: All Fields
Select years [Help] 2001-present
Search
Reset


Refine Search
CCL/"244/158.6"
PUB. APP. NO. Title
1 20030222179 METHOD AND SYSTEM FOR CONTROLLING THE ECCENTRICITY OF A NEAR-CIRCULAR ORBIT
2 20030098810 System for determining precise orbit of satellite and method thereof
3 20020038840 Satellite, satellite control method and satellite communication system
4 20020036250 Method for maintaining the position of geostationary satellites



Worldwide Patent Searching

Quick Search
Advanced Search
Number Search
Last Results list
My patents list 0
Classification Search
Get assistance

Quick Help
» What does each database contain?
» How many terms can I enter per field?
» Can I search with a combination of words?
» Can I use truncation or wildcards?
» What are publication, application and priority numbers?
» How do I enter publication, application and priority numbers?
» What is the difference between the IPC and the ECLA?
» Can I enter a date range?
» How can I find out which is the most recent document available for a given country?

Advanced Search

1. Database

Select the patent database in which you wish to search:

Database:	Worldwide

2. Search terms

Enter keywords (english)

Keyword(s) in title (in English):		plastic AND bicycle
Keyword(s) in title or abstract (in English):	spacecraft system	hair
Publication number:		WO03075629
Application number:		DE19971031696
Priority number:		WO1995US15925
Publication date:		yyyymmdd
Applicant:		Institut Pasteur
Inventor:		Smith
European Classification (ECLA):		F03G7/10
International Patent Classification (IPC):		H03M1/12

SEARCH CLEAR

European Patent Office

espacenet

Home | Contact

English Deutsch Français

Search Results

Quick Search

Advanced Search

Number Search

Last Results list

My patents list 0

Classification Search

Get assistance

Quick Help

- » Why is the number of results sometimes approximate?
- » Why do I sometimes retrieve fewer results than with the old esp@cenet®?
- » Why do I sometimes get results having a title which is not in English?
- » Why should I tick the "in my patents list" box?
- » How do I get my browser to print the background colours?

Compact | Print 1 2 3 4 5 next

RESULT LIST

Refine search

Approximately **1379** results found in the Worldwide database for:
spacecraft system in the title or abstract
Only the first **500** results are displayed.
(Results are sorted by date of upload in database)
The result is not what you expected? Get **assistance**

1 Displacement sensing system and method — in my patents list

Inventor: VUNKANNON ROBERT S JR (US)
Applicant: STIRLING TECHNOLOGY CO (US)
EC:
IPC: ***G01B7/14***; **G01B7/14**
Publication info: **US2006017432** - 2006-01-26

2 UNITIZED HYBRID ROCKET SYSTEM — in my patents list

Inventor: RUTAN ELBERT L (US)
Applicant: MOJAVE AEROSPACE VENTURES LLC (US)
EC: B64G1/14; F02K9/60; (+2)
IPC: ***B64G1/14***; ***F02K9/60***; ***F02K9/72*** (+4)
Publication info: **CA2519936** - 2004-10-07

3 Network architecture and protocol for spacecraft systems — in my patents list

Inventor: MCDERMOTT SCOTT A (US); JORDAN LUIS G (US); (+2)
Applicant:
EC:
IPC: ***G21C17/00***; **G21C17/00**
Publication info: **US2006015299** - 2006-01-19

4 METHOD FOR INCREASE OF ECONOMY OF OPERATION OF GAS-JET PROPULSION SYSTEM AT LIQUEFIED GAS — in my patents list

Inventor: SERHIICHUK BORYS VASYLIOVYCH (UA); KOSHKIN MYKHAILO IVANOVYCH (UA); (+3)
Applicant: STATE DESIGN OFFICE PIVDENNE I (UA)
EC:
IPC: (IPC1-7): F02K9/42; F02K11/00
Publication info: **UA73803** - 2004-11-15

5 Method and system for establishing communications with a spacecraft and other communications devices — in my patents list

Inventor: JENSEN JAMES W (US); GARDNER-SPRINGER COLIN M (US)
Applicant:
EC:
IPC: ***H04B7/00***; ***H04Q7/00***; ***H04Q7/20*** (+3)
Publication info: **US2006003782** - 2006-01-05

6 DISTRIBUTED MODE SYSTEM FOR REAL TME ACOUSTIC EMISSION MONITORING — in my patents list

Inventor: AUSTIN RUSSELL K (US); COUGHLIN CHRIS (US) **Applicant:** TEXAS RES INTERNATIONAL INC (US); AUSTIN

PROPULSION UNIT FOR SPACECRAFT, SERVICING SYSTEM FOR PROVIDING IN-SPACE SERVICE OPERATIONS, AND MODULAR SPACECRAFT

Patent number: WO2005118394
Publication date: 2005-12-15
Inventor: KOSMAS CHARALAMPOS (CY)
Applicant: INTERSECURE LOGIC LTD (CY); KOSMAS CHARALAMPOS (CY)
Classification:
- international: *B64G1/00; B64G1/10; B64G1/64;* B64G1/00; B64G1/64; (IPC1-7): B64G1/10; B64G1/64
- european: B64G1/00A2; B64G1/10E; B64G1/64C
Application number: WO2005EP06069 20050606
Priority number(s): DE200410027405 20040604

View INPADOC patent family

Report a data error here

Abstract of **WO2005118394**

A propulsion unit (10) for attachment to a selected target spacecraft is provided, comprising a number of thrusters (12), a number of propellant storage tanks (20), and a docking facilitation system (14), said docking facilitation system (14) being set up to be removeably connectable to corresponding docking means of a further spacecraft. The docking facilitation system (14) provided for the propulsion unit (10) allows for in-space connection with another component, in particular an active component having control means and the like, rendering the formerly detached propulsion unit (10) controllable and maneuverable.

How to Access Full Text Images

- Download AlternaTiff Software found on USPTO website

OR

- Go to www.pat2pdf.org
- Go to Google.com

Google Patent Search BETA

Advanced Patent Search

Find results	with **all** of the words		10 results · Google Search
	with the **exact phrase**		
	with **at least one** of the words		
	without the words		
Patent number	Return patents with the patent number		
Title	Return patents with the patent title		
Inventor	Return patents with the inventor name		First name, last name, or both
Assignee	Return patents with the assignee name	Boeing	First name, last name, or both
U.S. Classification	Return patents with the U.S. classification		Comma separated list of one or more classification codes.
International Classification	Return patents with the international classification		Comma separated list of one or more classification codes.
Document status	☐ Issued patents ☐ Applications		
Issue date	○ Return patents issued anytime ◉ Return patents issued between Jan 1970 and Dec 1975		
Filing date	○ Return patents filed anytime ◉ Return patents filed between Jan 1970 and Dec 1975		

Google Patent Search BETA

inassignee:Boeing | Search Patents | Advanced Patent Sea | Google Patent Search

Issue date ○ Return patents issued anytime ◉ Return patents issued between Jan 1970 and Dec 1975

Filing date ○ Return patents filed anytime ◉ Return patents filed between Jan 1970 and Dec 1975

Patents Showing: Any status View as: List

INTEGRATED ALIGNMENT SYSTEM
US Pat. 3816935 - Filed Jun 19, 1972 - he Boeing Company
3 **734483 ... 733757 ... Boeing ...**

INDUCTION HEATER APPARATUS AND SYSTEM
US Pat. 3845268 - Filed Feb 12, 1973 - he Boeing Company
3 **734607 ... 733998 ... Boeing ...**

ROTARY HEAD ASSEMBLY FOR ROTARY WING
US Pat. 3880551 - Filed Nov 15, 1973 - he Boeing Company
3 **734793 ... 734280 ... Boeing ...**

FLIGHT MANAGEMENT DISPLAY
US Pat. 3668622 - Filed May 21, 1970 - he Boeing Company
3 **733739 ... 732984 ... Boeing ...**

BOUNDARY LAYER CONTROL AND ANTI-ICING
US Pat. 3917193 - Filed Jan 21, 1974 - he Boeing Company
3 **735010 ... 734348 ... Boeing ...**

INTEGRATED NOZZLE
US Pat. 3774868 - Filed Dec 11, 1972 - he Boeing Company
3 **734266 ... 733935 ... Boeing ...**

PASSIVE IDENTIFICATION SYSTEM
US Pat. 3878528 - Filed Oct 12, 1973 - he Boeing Company
3 **734793 ... 734246 ... Boeing ...**

TRANSLATING SLEEVE VARIABLE AREA
US Pat. 3829020 - Filed Jun 13, 1973 - he Boeing Company



Abstract | Drawing | Description | Claims

Patent number: 3668622
Filing date: May 21, 1970
Issue date: Jun 1972
Inventor: James R. Gannett
Assignee: he Boeing Company

Read this patent

Download PDF

View patent at USPTO

Drawings

Page 2



Page 3



Page 4

more »

Search within this patent

Search

Referenced by

Patent Number	Title	Issue date
3999007	Aircraft visual approach/landing reproducer device and system	Dec 21, 1976
4015080	Display devices	Mar 29, 1977
4040005	Composite situation analyzer and instrument flight system	Aug 2, 1977
4121246	Ground impact point prediction system concept for airdrops	Oct 17, 1978
4149148	Aircraft flight instrument display system	Apr 10, 1979
4247843	Aircraft flight instrument display system	Jan 27, 1981
4297691	Figure displaying device	Oct 27, 1981
4312041	Flight performance data computer system	Jan 19, 1982
4368517	Aircraft landing display system	Jan 11, 1983
4415879	Aircraft flight instrument display system	Nov 15, 1983

TRADEMARKS


Coca-Cola


NIKE


ups


i'm lovin' it


PEPSI


THE HOME DEPOT


GT


FedEx


Braves


BURGER KING


GEORGIA POWER
A SOUTHERN COMPANY

Trademarks

- A trademark is a word, name, symbol or device which is used in trade with goods to indicate the source of the goods and to distinguish them from the goods of others.

- A service mark is the same as a trademark except that it identifies and distinguishes the source of a service rather than a product.

SPONGEBOB SQUAREPANTS TRADEMARK

Typed Drawing	
Word Mark	SPONGEBOB SQUAREPANTS
Goods and Services	IC 041. US 100 101 107. G & S: entertainment services in the nature of an animated television series. FIRST USE: 19990717. FIRST USE IN COMMERCE
Mark Drawing Code	(1) TYPED DRAWING
Design Search Code	
Serial Number	75354296
Filing Date	September 9, 1997
Current Filing Basis	1A
Original Filing Basis	1B
Published for Opposition	April 7, 1998
Registration Number	2355702
Registration Date	June 6, 2000
Owner	(REGISTRANT) Viacom International Inc. CORPORATION DELAWARE 1515 Broadway New York NEW YORK 10036
	(LAST LISTED OWNER) VIACOM INTERNATIONAL INC. CORPORATION DELAWARE 1515 BROADWAY NEW YORK NEW YORK 10036
Assignment Recorded	ASSIGNMENT RECORDED
Attorney of Record	Michael Moaz
Type of Mark	SERVICE MARK
Register	PRINCIPAL
Live/Dead Indicator	LIVE

Stephen Hillenburg

Sponge Bob Creator

Word Mark	HERSHEY'S KISSABLES
Goods and Services	IC 030. US 046. G & S: **Candy**. FIRST USE: 20051117. FIRST USE IN COMMERCE: 20051117
Mark Drawing Code	(3) DESIGN PLUS WORDS, LETTERS, AND/OR NUMBERS
Design Search Code	01.05.01 - Sun, rising or setting (partially exposed or partially obstructed); Sunrise 08.03.01 - Candy bars, (chocolate); Chips, (chocolate); Chocolate candies; Chocolate chips 26.11.21 - Rectangles that are completely or partially shaded 26.19.03 - Cones (geometric)
Serial Number	78785478
Filing Date	January 5, 2006
Current Filing Basis	1A
Original Filing Basis	1A
Owner	(APPLICANT) Hershey Chocolate & Confectionery Corporation CORPORATION DELAWARE 4860 Robb Street, Suite 204 Wheat Ridge COLORADO 80033
Attorney of Record	Lois B. Duquette
Prior Registrations	2112374;2815737;AND OTHERS
Description of Mark	The mark consists of HERSHEY'S in block lettering over the word KISSABLES which is printed in an arc. A tilted conical configuration design with a starburst is superimposed over the second S the A of KISSABLES. The conical configuration is stippled to make it look three-dimensional. Color is not claimed as a feature of the mark. The stippling is for shading purposes only.
Type of Mark	TRADEMARK
Register	PRINCIPAL
Live/Dead Indicator	LIVE

Owner Name – Hershey Chocolate & Confectionery Corp

TARR Status | ASSIGN Status | TDR Status | TTAB Status *(Use the "Back" button of the Internet Browser to return to TESS)*

(6) FOR SITUATIONS FOR WHICH NO DRAWING IS POSSIBLE, SUCH AS SOUND

Goods and Services	IC 038. US 104. G & S: BROADCASTING OF TELEVISION PROGRAMS. FIRST USE: 19610909. FIRST USE IN COMMERCE: 19610909
Mark Drawing Code	(6) FOR SITUATIONS FOR WHICH NO DRAWING IS POSSIBLE, SUCH AS SOUND
Serial Number	72349496
Filing Date	January 23, 1970
Current Filing Basis	1A
Original Filing Basis	1A
Registration Number	**0916522**
Registration Date	July 13, 1971
Owner	(REGISTRANT) NATIONAL BROADCASTING COMPANY, INC., THE CORPORATION DELAWARE 30 ROCKEFELLER PLAZA, ROOM 1081E NEW YORK NEW YORK 10112
Attorney of Record	GILLIAN LUSINS
Prior Registrations	0523616
Description of Mark	THE MARK COMPRISES A SEQUENCE OF CHIME-LIKE MUSICAL NOTES WHICH ARE IN THE KEY OF C AND SOUND THE NOTES G, E, C, THE "G" BEING THE ONE JUST BELOW MIDDLE C, THE "E" THE ONE JUST ABOVE MIDDLE C, AND THE "C" BEING MIDDLE C, THEREBY TO IDENTIFY APPLICANT'S BROADCASTING SERVICE.
Type of Mark	SERVICE MARK
Register	PRINCIPAL
Affidavit Text	SECT 8 (6-YR). SECTION 8(10-YR) 20011017.
Renewal	2ND RENEWAL 20011017
Live/Dead Indicator	LIVE

NBC Chime

Nbchime.mp3

Find the UPS trademarks

Hint: There are seven of them

WHAT CAN BROWN DO FOR YOU?®

Find the UPS trademarks

Hint: There are seven of them

Trademark Infringement



TARR Status | ASSIGN Status | TDR Status | TTAB Status *(Use the "Back" button of the Internet Browser to return to TESS)*



UPS Brown Truck

Goods and Services	IC 039. US 100 105. G & S: motor vehicle transportation and delivery of personal property. FIRST USE: 19170000. FIRST USE IN COMMERCE: 191700
Mark Drawing Code	(2) DESIGN ONLY
Design Search Code	180505 290202
Serial Number	75039323
Filing Date	December 26, 1995
Current Filing Basis	1A
Original Filing Basis	1A
Published for Opposition	November 4, 1997
Registration Number	**2131693**
Registration Date	January 27, 1998
Owner	(REGISTRANT) UNITED PARCEL SERVICE OF AMERICA, INC. CORPORATION DELAWARE 55 Glenlake Parkway, NE Atlanta GEORGIA 30328
Attorney of Record	MONIQUE L. RIBANDO
Description of Mark	The mark consists of the color brown applied to the vehicles used in performing the services. The drawing is lined for the color brown.
Type of Mark	SERVICE MARK
Register	PRINCIPAL-2(F)
Affidavit Text	SECT 15. SECT 8 (6-YR).
Live/Dead Indicator	LIVE



BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA DBA GEORGIA INSTITUTE OF TECHNOLOGY

TESS Home | New User | Structured | Browse Dict | SEARCH OG | Bottom | HELP

WARNING: AFTER **SEARCHING** THE USPTO DATABASE, EVEN IF **YOU** THINK THE RESULTS ARE "O.K.," DO **NOT** ASSUME THAT YOUR MARK CAN BE REG APPLICATION, THE USPTO MUST DO ITS OWN SEARCH AND OTHER REVIEW, AND MIGHT **REFUSE TO REGISTER** YOUR MARK.

View Search History:

Records Returned: 100 **Plurals:** No Quick Tips

Search Term: ("Georgia Tech"[ON] or "university system of georgia"[ON]) and clothing[GS] and Buzz[BI]

Submit Query | Clear Query

Logout *Please logout when you are done to release system resources allocated for you.*

Advanced Search

US Trademark Field Codes

Code & Name	Code & Name	Code & Name
[AD] Abandonment Date	[IC] International Class	[RD] Registration Date
[AF] Affidavits	[IR] International Registration Number	[RE] Renewals
[AR] Assignment Recorded	[LD] Live/Dead	[RG] Register
[AT] Attorney of Record	[MD] Mark Drawing Code	[RN] Registration Number
[BI] Basic Index	[MI] Mark Index	[SF] Section 44 Indicator
[CB] Current Filing Basis	[MN] Mark Non-Punctuated	[SD] Single Design Code
[CC] Coordinated Class	[MP] Mark Punctuated/Word Mark	[SN] Serial Number
[CD] Cancellation Date	[OB] Original Filing Basis	[SO] Serial - Other Formats
[CR] Change in Registration	[OD] Other Data	[ST] Standard Characters Claimed
[DC] Design Search Code	[ON] Owner Name	[SR] Supplemental Register Date
[DD] Design Description	[OW] Owner Name and Address	[TC] Trademark Search Facility Classification Code
[DE] Description of Mark	[PD] Priority Date	[TD] Total Designs
[DM] Decimal Mark	[PF] Physical Filing Date	[TF] Distinctiveness Limitation Statement
[DS] Disclaimer	[PO] Published for Opposition	[TI] Translation Index
[FD] Filing Date	[PM] Pseudo Mark	[TL] Translation
[FM] Full Mark	[PI] Pseudo Mark Index	[TM] Type of Mark
[GS] Goods and Services	[PR] Prior Registrations	[UD] Update/Load Date
		[US] US Class

TESS Home | New User | Structured | Browse Dict | SEARCH OG | Top | HELP

TESS HOME | NEW USER | STRUCTURED | FREE FORM | BROWSE DICT | SEARCH OG | PREV LIST | NEXT LIST | IMAGE LIST | BOTTOM | HELP

Logout *Please logout when you are done to release system resources allocated for you.*

Start **List At:** OR Jump **to record:** 68 **Records(s) found (This page: 1 ~ 68)**

Refine Search ("Georgia Tech")[ON] or ("Georgia Institute c Submit

Current Search: S2: ("Georgia Tech")[ON] or ("Georgia Institute of Technology")[ON] docs: 68 occ: 69

	Serial Number	Reg. Number	Word Mark	Check Status	Live/Dead
1	78949474		OPPORTUNISTIC COMPUTING	TARR	DEAD
2	78940196		GLOBAL MPP	TARR	DEAD
3	78940134		GLOBAL MPA	TARR	DEAD
4	78291937	2874922	TI:GER	TARR	LIVE
5	78118193	2681329	GEORGE P. BURDELL	TARR	LIVE
6	76244543	2624065	BUZZWORDS	TARR	LIVE
7	76564169	2914366	RAMBLIN' WRECK	TARR	LIVE
8	76564168	2930301		TARR	LIVE
9	76564167	2915848	YELLOW JACKETS	TARR	LIVE
10	76564166	2999728	GT	TARR	LIVE
11	76564164	2969376		TARR	LIVE
12	76564163	2901458		TARR	LIVE
13	76564162	3037145	SEAL OF THE GEORGIA INSTITUTE OF TECHNOLOGY 1885	TARR	LIVE
14	76477447	2864269	GTICES	TARR	LIVE
15	76317576		GEORGIA TECH ALUMNI MAGAZINE	TARR	DEAD
16	75628061		WM WEARABLE MOTHERBOARD	TARR	DEAD
17	75552998		WOVEN MOTHERBOARD	TARR	DEAD
18	75397638	2262359	NETCELERATE	TARR	DEAD
19	75361175	2268260	GEORGE P. BURDELL	TARR	DEAD
20	75293995	2176573	TOA	TARR	DEAD
21	75258766	2585561	GEORGE P. BURDELL	TARR	LIVE
22	75063147	2140032	GRAPHICS VISUALIZATION & USABILITY CENTER	TARR	DEAD
23	75057143	2060815	GVU'S WWW USER SURVEY	TARR	DEAD
24	75006049		MASTER MIND	TARR	DEAD
25	75005757		MIND MAZE	TARR	DEAD
26	74735396	2396106	GT	TARR	DEAD
27	74676858		GT STRUDEL	TARR	DEAD

Total documents in the Image Library are: 68. (This page: 1 ~ 68)

OPPORTUNISTIC COMPUTING 78949474	Global MPP 78940196	Global MPA 78940134
TI:GER 78291937	GEORGE P. BURDELL 78118193	BUZZWORDS 76244543

Selection of Application Type

Which type of form do you wish to use? Select from one of the two versions, *below*, and then click on the CONTINUE button at the *bottom of the page*.

○ **TEAS Plus Form**

This form has a lower filing fee of $275 per class of goods and/or services, but has stricter requirements, than the TEAS form, below. Select this option ONLY if you agree to:

- file a "complete" application that satisfies all requirements set forth in Rule 2.22(a), not only the regular "minimum requirements" for obtaining a filing date. Almost all fields in this form are mandatory;
- select the listing of goods and/or services for this application directly from the USPTO's Acceptable Identification of Goods and Services Manual. While certain listings will allow for "customization," total "free-text" entries for identifications CANNOT be made;
  NOTE: We strongly recommend that you confirm that your identifications appear in the Manual (using the provided link, *above*) **BEFORE** even entering the TEAS Plus form; otherwise, you may spend time completing some of the application, only to discover you were not eligible for a TEAS Plus filing once you reach the Goods/Services section of the form. If the term(s) does not appear, you can request that an identification be added, by e-mailing TMIDSUGGEST@uspto.gov; however, this would not enable you to file immediately. For more information on this process, click here. The TEAS Plus version of the IDManual intentionally does not include items classified in Classes A, B, or 200, because those marks are not eligible for filing under TEAS Plus. Also missing are any listings that appear in the "regular" manual under "000," because correct classification is required under TEAS Plus, and classification for these listings varies according to the additional information provided within the listing.
- attach all required image files, where applicable, in the .jpg format (for specimens, foreign registration certificates, consents, evidence) (except for sounds marks, for which a .wav or MP3 file can be submitted separately);
- pay the fees for ALL classes at the time of filing;
- file certain later communications regarding the application, such as a response to an Office action, through TEAS. See Rule 2.23(a)(1) for the listing of forms that must be filed through TEAS; and
- receive communications concerning the application by electronic mail (e-mail) during the pendency of the application.

NOTE: If you use the TEAS Plus version of the form, you must pay an additional fee of $50 per class if, at any time during the examination of the application, the Office determines that (1) the application did not meet the filing requirements for a TEAS Plus application as of the filing date, as set forth in Rule 2.22(a); (2) the applicant files a paper form after the initial application, but a TEAS form existed for that purpose, *e.g.*, a response to an Office action; and/or (3) the applicant refuses to receive correspondence from the Office by electronic mail (e-mail) during the pendency of the application.

◉ **TEAS Form**

Suggested form choice

You must select this option, having a filing fee of $325 per class of goods and/or services, if you:

- cannot file a "complete" application at this time, satisfying all requirements as set forth in Rule 2.22(a), but instead can meet only the "minimum requirements" for obtaining a filing date. Only certain fields on this version of the form are mandatory;
- wish to make a "free-text" entry for the listing of goods and/or services for this application, rather than selecting the listing directly from the USPTO's Acceptable Identification of Goods and Services Manual (apart from any permissible "customization" within certain listings);
- are unable either to create or successfully attach in the designated portion(s) of the form a proper .jpg image file, if applicable for the application (for specimens, foreign registration certificates, consents, evidence);
- wish to pay for only one class at the time of filing, although the application as filed will consist of multiple classes;
- plan later to file certain communications regarding the application, such as a response to an Office action, in paper rather than through TEAS. See Rule 2.23(a)(1); and
- do not agree to receive communications concerning the application by electronic mail (e-mail) during the pendency of the application.

Patents and Trademarks

Government Resources; Federal

Search Engines

Patents & Trademarks

Tutorials

Databases

Patent and Trademark Office (US Patents)

European Patent Office

Trademark Electronic Search System (TESS)

World Intellectual Property Organization (WIPO)

Guides

Patent Services
Patent Facts
Patent Web Resources
Resources for GA Inventors
Trademark Services
Trademark Facts
Trademark Web Resources

Joanne Tobin
Patents and Trademarks
Library (USPTDL Rep.)
Phone: (404) 894-1395
Fax: (404) 894-8190
Email: joanne.tobin@library.gatech.edu

Patent Information

- Services
- Facts
- Web Resources
- Print Resources
- Resources for Georgia Inventors
- Patents Searching Tutorial
- African-American Inventors by state

Trademark Information

- Services
- Facts
- Web Resources

Other Guides:

Standards & Building Codes
Technical Reports
Society Papers

All Databases

subject LIBRARIAN

Joanne Tobin
Reference & Subject Librarian

404-894-1395
Email
Librarian Bio

ENTOMOPTER

Questions?

- 404-894-1395
- joanne.tobin@library.gatech.edu
- http://www.library.gatech.edu